

Zika virus transmission: ECDC adoptions of WHO's Zika Virus Country Classification Scheme

Country	Region	Country classification category for Zika transmission
American Samoa		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Angola		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Anguilla		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Antigua and Barbuda		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Argentina	Argentina	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Argentina	Tucuman	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Argentina	Formosa	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Argentina	Salta	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Aruba	Chaco	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bahamas		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bangladesh		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Barbados		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Belize		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bolivia		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bonaire, Sint Eustatius and Saba	Bonaire	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bonaire, Sint Eustatius and Saba	Saba	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bonaire, Sint Eustatius and Saba	Sint Eustatius	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Rio De Janeiro	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Maranhao	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Bahia	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Rio Grande Do Norte	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Alagoas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Amazonas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Ceara	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Espirito Santo	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Mato Grosso	Areas with virus transmission following virus new/re introduction (WHO cat. 1)

Brazil	Para	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Paraiba	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Parana	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Pernambuco	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Rondonia	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Roraima	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Sao Paulo	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Tocantins	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Piaui	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Goias	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Rio Grande Do Sul	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Acre	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Distrito Federal	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Mato Grosso Do Sul	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Minas Gerais	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Santa Catarina	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Sergipe	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Amapa	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Brazil	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
British Virgin Islands		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Burkina Faso		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Burundi		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Cambodia		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Cameroon		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Cape Verde		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Cayman Islands		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Central African Republic		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Chile	Easter Island	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Colombia		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Cook Islands		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Costa Rica		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Côte d'Ivoire		Areas with virus transmission following previous virus circulation (WHO cat. 2)

Cuba		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Curaçao		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Dominica		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Dominican Republic		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Ecuador		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
El Salvador		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Fiji		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
France	Martinique	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
France	Guyane	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Gabon		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Grenada		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Guadeloupe		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Guatemala		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Guinea-Bissau		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Guyana		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Haiti		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Honduras		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Indonesia	Indonesia	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Indonesia	Nangroe Aceh Darussalam	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Bali	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Bengkulu	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Daerah Istimewa Yogyakarta	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Dki Jakarta	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Jambi	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Jawa Tengah	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Jawa Timur	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kalimantan Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kalimantan Selatan	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kalimantan Tengah	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kalimantan Timur	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Lampung	Areas with virus transmission following previous virus circulation (WHO cat. 2)

Indonesia	Nusatenggara Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Nusatenggara Timur	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Tengah	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Tenggara	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sumatera Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sumatera Utara	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Bangka Belitung	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Banten	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Gorontalo	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Papua Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Jawa Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kepulauan-riau	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Maluku	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Maluku Utara	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Papua	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Riau	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Selatan	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Utara	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sumatera Selatan	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Jamaica		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Lao People's Democratic Republic		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Malaysia		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Maldives		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Marshall Islands		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Nuevo Leon	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Jalisco	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Oaxaca	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Sinaloa	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Guerrero	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Chiapas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)

Mexico	Veracruz	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Yucatan	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Nayarit	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Tabasco	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Michoacan	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Quintana Roo	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Colima	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Morelos	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Hidalgo	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Tamaulipas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	San Luis Potosi	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Coahuila	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Puebla	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Campeche	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Sonora	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Aguascalientes	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Baja California Sur	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Zacatecas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Baja California	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Mexico	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Micronesia		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Montserrat		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Nicaragua		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Nigeria		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Palau		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Panama		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Papua New Guinea		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Amambay	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Central	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Alto Parana	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Paraguari	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Boqueron	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Caaguazu	Areas with virus transmission following virus new/re introduction (WHO cat. 1)

Paraguay	Caazapa	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Canindeyu	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Guaira	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Itapua	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Misiones	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Neembucu	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	San Pedro	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Concepcion	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Paraguay	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Paraguay	Cordillera	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Peru		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Philippines		WHO cat. 2 areas with new documented intense transmission
Puerto Rico		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Saint Barthelemy		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Saint Kitts and Nevis		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Saint Lucia		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
artin		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Saint Vincent and the Grenadines		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Samoa		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Senegal		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Singapore		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Sint Maarten		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Solomon Islands		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Suriname		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Thailand		Areas with virus transmission following previous virus circulation (WHO cat. 2)
Tonga		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Trinidad and Tobago		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Turks and Caicos islands		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Uganda		Areas with virus transmission following previous virus circulation (WHO cat. 2)
United States of America	Miami-dade	Areas with virus transmission following virus new/re introduction (WHO cat. 1)

United States of America	Broward	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
United States of America	Cameron	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
United States of America	Palm Beach	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
United States of America	United States of America	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
United States Virgin Islands	United States Virgin Islands	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Vanuatu		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Venezuela		Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Vietnam		WHO cat. 2 areas with new documented intense transmission