

Zika virus transmission: ECDC adaptation of WHO's Zika virus country classification scheme¹

Country	Region	Country classification category for Zika transmission
American Samoa	American Samoa	Areas with interrupted transmission (WHO cat. 3)
Angola	Angola	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Anguilla	Anguilla	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Antigua and Barbuda	Antigua and Barbuda	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Argentina	Chaco	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Argentina	Formosa	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Argentina	Salta	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Argentina	Tucuman	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Aruba	Aruba	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bahamas	Bahamas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bangladesh	Bangladesh	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Barbados	Barbados	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Belize	Belize	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bolivia	Bolivia	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bonaire, Sint Eustatius and Saba	Bonaire	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bonaire, Sint Eustatius and Saba	Saba	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Bonaire, Sint Eustatius and Saba	Sint Eustatius	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Acre	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Alagoas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)

Brazil	Amapa	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Amazonas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Bahia	WHO cat. 2 areas with new documented intense transmission
Brazil	Ceara	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Distrito Federal	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Espirito Santo	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Goias	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Maranhao	WHO cat. 2 areas with new documented intense transmission
Brazil	Mato Grosso	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Mato Grosso Do Sul	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Minas Gerais	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Para	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Paraiba	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Parana	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Pernambuco	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Piaui	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Rio De Janeiro	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Brazil	Rio Grande Do Norte	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Rio Grande Do Sul	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Rondonia	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Roraima	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Santa Catarina	Areas with virus transmission following virus new/re introduction (WHO cat. 1)

Brazil	Sao Paulo	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Sergipe	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Brazil	Tocantins	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
British Virgin Islands	British Virgin Islands	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Burkina Faso	Burkina Faso	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Burundi	Burundi	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Cambodia	Cambodia	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Cameroon	Cameroon	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Cape Verde	Cape Verde	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Cayman Islands	Cayman Islands	Areas with interrupted transmission (WHO cat. 3)
Central African Republic	Central African Republic	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Chile	Easter Island	Areas with interrupted transmission (WHO cat. 3)
Colombia	Colombia	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Cook Islands	Cook Islands	Areas with interrupted transmission (WHO cat. 3)
Costa Rica	Costa Rica	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Côte d'Ivoire	Côte d'Ivoire	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Cuba	Cuba	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Curaçao	Curaçao	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Dominica	Dominica	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Dominican Republic	Dominican Republic	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Ecuador	Ecuador	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
El Salvador	El Salvador	Areas with virus transmission following virus new/re introduction (WHO cat. 1)

Fiji	Fiji	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
France	Guyane	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
France	Martinique	Areas with interrupted transmission (WHO cat. 3)
French Polynesia	French Polynesia	Areas with interrupted transmission (WHO cat. 3)
Gabon	Gabon	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Grenada	Grenada	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Guadeloupe	Guadeloupe	Areas with interrupted transmission (WHO cat. 3)
Guatemala	Guatemala	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Guinea-Bissau	Guinea-Bissau	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Guyana	Guyana	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Haiti	Haiti	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Honduras	Honduras	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
India	Gujarat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
India	Tamil Nadu	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Bali	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Bangka Belitung	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Banten	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Bengkulu	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Daerah Istimewa Yogyakarta	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Dki Jakarta	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Gorontalo	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Jambi	Areas with virus transmission following previous virus circulation (WHO cat. 2)

Indonesia	Jawa Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Jawa Tengah	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Jawa Timur	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kalimantan Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kalimantan Selatan	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kalimantan Tengah	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kalimantan Timur	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Kepulauan-riau	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Lampung	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Maluku	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Maluku Utara	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Nangroe Aceh Darussalam	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Nusatenggara Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Nusatenggara Timur	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Papua	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Papua Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Riau	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Selatan	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Tengah	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Tenggara	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sulawesi Utara	Areas with virus transmission following previous virus circulation (WHO cat. 2)

Indonesia	Sumatera Barat	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sumatera Selatan	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Indonesia	Sumatera Utara	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Jamaica	Jamaica	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Lao People's Democratic Republic	Lao People's Democratic Republic	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Malaysia	Malaysia	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Maldives	Maldives	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Marshall Islands	Marshall Islands	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Aguascalientes	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Baja California	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Baja California Sur	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Campeche	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Chiapas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Coahuila	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Colima	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Guerrero	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Hidalgo	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Jalisco	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Michoacan	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Morelos	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Nayarit	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Nuevo Leon	Areas with virus transmission following virus new/re introduction (WHO cat. 1)

Mexico	Oaxaca	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Puebla	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Quintana Roo	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	San Luis Potosi	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Sinaloa	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Sonora	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Tabasco	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Tamaulipas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Veracruz	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Yucatan	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Mexico	Zacatecas	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Micronesia	Micronesia	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Montserrat	Montserrat	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
New Caledonia	New Caledonia	Areas with interrupted transmission (WHO cat. 3)
Nicaragua	Nicaragua	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Nigeria	Nigeria	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Palau	Palau	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Panama	Panama	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Papua New Guinea	Papua New Guinea	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Paraguay	Paraguay	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Peru	Peru	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Philippines	Philippines	Areas with virus transmission following previous virus circulation (WHO cat. 2)

Puerto Rico	Puerto Rico	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Saint Barthélemy	Saint-Barthélemy	Areas with interrupted transmission (WHO cat. 3)
Saint Kitts and Nevis	Saint Kitts and Nevis	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Saint Lucia	Saint Lucia	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Saint Martin	Saint Martin	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Saint Vincent and the Grenadines	Saint Vincent and the Grenadines	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Samoa	Samoa	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Senegal	Senegal	Areas with virus transmission following previous virus circulation (WHO cat. 2)
Singapore	Singapore	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Sint Maarten	Sint Maarten	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Solomon Islands	Solomon Islands	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Suriname	Suriname	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Thailand	Thailand	WHO cat. 2 areas with new documented intense transmission
Tonga	Tonga	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Trinidad and Tobago	Trinidad and Tobago	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Turks and Caicos Islands	Turks and Caicos Islands	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Uganda	Uganda	Areas with virus transmission following previous virus circulation (WHO cat. 2)
United States of America	Broward	Areas with interrupted transmission (WHO cat. 3)
United States of America	Cameron	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
United States of America	Miami-Dade	Areas with interrupted transmission (WHO cat. 3)
United States of America	Palm Beach	Areas with interrupted transmission (WHO cat. 3)
United States of America	Pinellas	Areas with interrupted transmission (WHO cat. 3)

United States Virgin Islands	United States Virgin Islands	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Vanuatu	Vanuatu	Areas with interrupted transmission (WHO cat. 3)
Venezuela	Venezuela	Areas with virus transmission following virus new/re introduction (WHO cat. 1)
Vietnam	Vietnam	WHO cat. 2 areas with new documented intense transmission

¹<https://ecdc.europa.eu/en/publications-data/current-zika-virus-transmission-list-countries-ecdc-adaptation-whos-zika-virus>